

CLASSIC STEEL

20-0 X 23-4 X 37-10 CALIFORNIAN RIGHT



PART#: ISK-MN-2038-24-STD

DATE: 01/01/07

SCALE: 1/8" = 1'-0"

SURFACE AREA: (ft²): 638

LINER AREA (ft²): 758

SFTY COVER AREA (ft²): 1077

PERIMETER: 98'-10"

VOLUME (US Gal): 20,944


VOLUME (Litres): 79,281




MEETS DEPTH AND SHAPE MINIMUM STANDARD ANS/INSP15-2003

DIVING/SLIDING EQUIPMENT SHALL BE DESIGNED FOR SWIMMING POOLS AND SHALL BE INSTALLED IN ACCORDANCE WITH THE DIVING/SLIDING EQUIPMENT MANUFACTURERS SPECIFICATIONS. PLEASE CONTACT THE DIVING/SLIDING EQUIPMENT MANUFACTURER FOR THEIR SPECIFICATIONS.

6' STEP




8' STEP



DWG#: CLMN24S2038R07

SHEET: 1 OF 2

CALIFORNIAN



	A	B	C	D
1	16'-11 3/4"	32'-2 1/4"	33'-6 3/4"	19'-5 1/2"
2	29'-1 1/2"	18'-6 1/4"	22'-1"	31'-6 1/4"
3	33'-3 1/4"	36'-5"	23'-6 1/2"	18'-4"
4	27'-0 1/2"	15'-0 1/2"	29'-4 1/2"	36'-11 3/4"
5	33'-7 1/4"	9'-8 3/4"	24'-3 1/4"	40'-3 1/2"
6	40'-8 1/4"	10'-1 1/4"	16'-10 3/4"	42'-8 1/4"
7	41'-6"	13'-8 1/4"	14'-1 1/2"	41'-7 3/4"
8	37'-3 3/4"	28'-4 1/2"	14'-2"	28'-0 3/4"
9	35'-2 3/4"	29'-10 1/2"	16'-11 1/2"	25'-3"
10	32'-8 3/4"	29'-5 1/2"	19'-0 1/4"	23'-9 1/4"
11	26'-5 1/2"	33'-8"	26'-9 1/2"	16'-10 1/2"
S1	26'-1"	15'-11 3/4"	29'-10 1/2"	36'-3 1/2"
S2	36'-2 3/4"	29'-9 3/4"	16'-0"	26'-1"
H1	12'-1 1/2"	29'-11 1/2"	39'-2"	27'-12"
H2	25'-0 3/4"	37'-1"	30'-4"	13'-1 1/2"
A	-	41'-10 1/4"	49'-11 3/4"	27'-3 3/4"

DIAGONALS	1 TO 2	15'-0"
1 TO 2	15'-0"	
1 TO 3	17'-0"	
1 TO 4	18'-0"	
1 TO S1	17'-2 1/2"	
1 TO S2	19'-3 1/4"	
1 TO H1	10'-0"	
1 TO H2	10'-0"	
2 TO S1	9'-0 1/2"	
2 TO S2	14'-3 1/4"	
2 TO H1	17'-6"	
2 TO H2	18'-6 3/4"	
4 TO 5	6'-10 1/4"	
4 TO 6	15'-0 1/4"	
4 TO 7	16'-9 3/4"	
4 TO 8	22'-9"	
4 TO 9	22'-9 1/2"	
4 TO 10	21'-2 3/4"	
4 TO 11	22'-3 1/2"	
4 TO S1	0'-11 1/2"	
4 TO S2	23'-3 1/4"	
4 TO H1	15'-0"	
4 TO H2	24'-11 3/4"	
5 TO 7	10'-8"	
5 TO 8	20'-10"	
5 TO 9	21'-8 3/4"	
5 TO 10	20'-10"	
5 TO 11	24'-2 1/4"	
5 TO S1	7'-9"	
5 TO S2	21'-10 3/4"	
5 TO H1	21'-5 3/4"	
5 TO H2	27'-6"	
6 TO 7	2'-10"	
6 TO 8	18'-1 1/4"	
6 TO 9	20'-0"	
6 TO 10	20'-1 1/2"	
6 TO 11	25'-10"	
6 TO S1	15'-9 3/4"	
6 TO S2	19'-9"	
6 TO H1	28'-7 3/4"	
6 TO H2	29'-6 3/4"	
7 TO 9	18'-1 1/4"	
7 TO 10	18'-6 1/4"	
7 TO 11	24'-9 1/2"	
7 TO S1	17'-6 1/4"	
7 TO S2	17'-9 1/4"	
7 TO H1	29'-7 1/4"	
7 TO H2	28'-7"	
8 TO 9	2'-10"	
8 TO 10	4'-11 1/4"	

DESCRIPTION	NO	6'	8'
8'-0" STRAIGHT - HS10850M	1	1	1
8'-0" STRAIGHT - PLAIN	2	-	-
7'-0" STRAIGHT - PLAIN	1	1	1
6'-0" STRAIGHT - HR	1	1	1
5'-0" STRAIGHT - PLAIN	-	2	-
4'-0" STRAIGHT - PLAIN	-	-	2
2'-6" STRAIGHT - PLAIN	2	2	2
8'-0" X 10'-0" RADIUS - PLAIN	3	3	3
8'-0" X 10'-0" RADIUS - HR	1	1	1
7'-0" X 9'-0" RADIUS - PLAIN	1	1	1
5'-0" X 7'-0" REV RAD - PLAIN	1	1	1
3'-3" X 7'-0" REV RAD - PLAIN	1	1	1
3'-2" X 2'-0" RADIUS 90° CORNER	2	2	2
A-FRAME	17	18	18
HARDWARE STRAIGHT 150 PACK	2	2	2
REBAR STAKE 18 IN. (25 PACK)	2	2	2
OPTIONAL DECK SUPPORT	37	36	36

DIAGONALS	8 TO 11	12'-8"
8 TO 11	12'-8"	
8 TO S1	22'-9 3/4"	
8 TO S2	2'-0"	
8 TO H1	27'-9 1/2"	
8 TO H2	16'-2"	
9 TO 10	2'-6 1/4"	
9 TO 11	9'-11 3/4"	
9 TO S1	22'-9"	
9 TO S2	1'-0 1/4"	
9 TO H1	26'-3"	
9 TO H2	13'-4 3/4"	
10 TO 11	7'-9 1/4"	
10 TO S1	21'-1"	
10 TO S2	3'-6 1/4"	
10 TO H1	23'-9 3/4"	
10 TO H2	11'-4 3/4"	
11 TO S1	21'-10"	
11 TO S2	11'-0"	
11 TO H1	19'-7 3/4"	
11 TO H2	3'-9 3/4"	
S1 TO S2	23'-3"	
S1 TO H1	14'-0 1/2"	
S1 TO H2	24'-5"	
S2 TO H1	27'-1 3/4"	
S2 TO H2	14'-4 1/2"	
H1 TO H2	20'-0"	