

23-1 X 39-10 CANCUN RIGHT

CLASSIC STEEL

PART#: ISK-CN-2340-24-STD
DATE: 01/01/07

SURFACE AREA: (ft²): 717
LINER AREA (ft²): 919

PERIMETER: 108'-8"
VOLUME (US Gal): 23,537





DIVING/SLIDING EQUIPMENT SHALL BE DESIGNED FOR SWIMMING POOLS AND SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S SPECIFICATIONS. PLEASE CONTACT THE DIVING/SLIDING EQUIPMENT MANUFACTURER FOR THEIR SPECIFICATIONS.

SCALE: 1/8" = 1'-0"


SFTY COVER AREA (ft²): 1117

VOLUME (Litres): 89,097

MEETS DEPTH AND SHAPE MINIMUM STANDARD ANS/SP5-2003



DWG#: CLCN24S2340R07



	A	B	C	D
1	17'-6 1/4"	33'-8"	34'-8"	19'-4 3/4"
2	32'-4"	28'-6 1/4"	20'-2 1/4"	25'-3 3/4"
3	30'-2 1/4"	18'-3 1/2"	23'-0"	33'-3"
4	11'-1 1/4"	42'-7 1/4"	44'-4"	16'-6 3/4"
5	9'-6 1/4"	37'-8 1/4"	42'-3 1/4"	21'-9 1/4"
6	15'-1 1/4"	29'-0"	36'-3 3/4"	27'-0 1/2"
7	24'-0 3/4"	20'-3 1/2"	31'-0"	33'-6 3/4"
8	34'-4 3/4"	10'-7 1/4"	24'-9 1/2"	41'-0 3/4"
9	42'-9"	11'-8"	16'-0"	44'-1 1/2"
10	43'-8 1/2"	12'-11 1/2"	14'-6"	44'-2 1/2"
11	45'-10"	18'-10 3/4"	8'-7 1/4"	42'-7 1/2"
12	45'-10 3/4"	20'-4 1/2"	7'-5"	41'-9 1/2"
13	44'-4"	25'-4 3/4"	7'-4 1/4"	37'-0 3/4"
14	43'-5 3/4"	26'-4 1/4"	8'-6 1/4"	35'-7 1/2"
15	35'-0 3/4"	31'-7"	19'-4 1/4"	24'-7 3/4"
16	32'-3 1/4"	32'-6"	22'-3 3/4"	22'-0"
17	30'-3 1/4"	32'-6"	23'-11 1/2"	20'-10 1/4"
18	28'-10 3/4"	33'-1 3/4"	25'-5 1/2"	19'-7 1/2"
19	25'-1"	37'-0 1/2"	30'-4 1/4"	14'-10 1/2"
20	25'-8 1/4"	36'-6 1/2"	31'-8"	13'-4"
21	26'-8"	41'-5"	33'-6 1/2"	10'-8 1/4"
22	25'-8 1/2"	43'-9 3/4"	36'-4 1/4"	8'-0"
23	18'-9 1/2"	45'-7 3/4"	41'-10 3/4"	8'-0"
24	18'-3 3/4"	45'-7 1/4"	42'-9"	9'-2"

DIAGONALS	
1 TO 2	14'-11"
1 TO 3	16'-2"
1 TO S1	19'-5 3/4"
1 TO S2	20'-10 1/4"
1 TO H1	8'-0"
1 TO H2	9'-8 1/4"
2 TO 3	11'-8 1/2"
2 TO S1	19'-6 1/2"
2 TO S2	5'-11 3/4"
2 TO H1	19'-8"
2 TO H2	10'-7"
3 TO S1	8'-0"
3 TO S2	15'-0 1/2"

	A	B	C	D
S1	28'-0 3/4"	14'-11 1/4"	29'-2"	38'-4 1/2"
S2	38'-3 3/4"	29'-1"	14'-11 1/2"	29'-1"
H1	14'-8 1/4"	30'-1 1/2"	37'-5 1/2"	26'-8"
H2	26'-0"	37'-0"	30'-3 1/4"	15'-0"
A	-	43'-9 1/2"	51'-6 1/2"	27'-2"

DIAGONALS	
3 TO H1	15'-6"
3 TO H2	18'-8 3/4"
5 TO 7	17'-2 3/4"
5 TO 10	35'-5 3/4"
5 TO 11	37'-0"
5 TO 14	34'-1 1/4"
5 TO 18	19'-5 1/4"
5 TO 19	16'-9 3/4"
5 TO 22	18'-0"
5 TO 23	13'-8 1/2"
5 TO S1	22'-7 1/4"
5 TO S2	28'-9 3/4"
5 TO H1	7'-5 1/4"
5 TO H2	16'-10 1/4"
7 TO 8	10'-4 1/4"
7 TO 10	20'-3"
7 TO 11	23'-7 1/4"
7 TO 14	24'-6 1/4"
7 TO 18	19'-0 1/4"
7 TO 19	20'-10 1/2"
7 TO 24	26'-3 3/4"
7 TO 25	23'-5 3/4"
7 TO S1	5'-4 3/4"
7 TO S2	22'-1 3/4"
7 TO H1	9'-10 1/4"
7 TO H2	20'-9 3/4"
10 TO 14	13'-9"
10 TO 18	24'-7 1/2"
10 TO 19	29'-4"
10 TO 24	40'-2"
10 TO 25	39'-9 3/4"
10 TO S1	16'-8 3/4"
10 TO S2	17'-8 1/2"
10 TO H1	29'-0 1/4"
10 TO H2	29'-3"
11 TO 14	8'-10"
11 TO 18	23'-1 1/4"
11 TO 19	28'-0 3/4"
11 TO 24	39'-9 3/4"
11 TO 25	40'-4"
11 TO S1	21'-1 1/4"
11 TO S2	14'-3"
11 TO H1	31'-3 1/4"
11 TO H2	27'-11 5/8"
14 TO 18	16'-11 1/2"
14 TO 19	21'-10 3/4"

DESCRIPTION	NO	6'	8'
6'-0" STRAIGHT - PLAN	2	2	1
7'-0" STRAIGHT - HR	1	1	1
6'-0" STRAIGHT - HS10830M	1	1	1
6'-0" STRAIGHT - PLAN	3	2	3
5'-0" STRAIGHT - PLAN	1	1	1
3'-0" STRAIGHT - PLAN	2	2	2
2'-0" STRAIGHT - PLAN	2	2	1
1'-0" STRAIGHT - PLAN	-	-	2
6'-0" X 8'-0" RADIUS - HR	1	1	1
6'-0" X 8'-0" RADIUS - PLAN	1	1	1
3'-3" X 8'-0" RADIUS - PLAN	1	1	1
3'-0" X 8'-0" RADIUS - PLAN	1	1	1
6'-0" X 10'-0" REV RAD - PLAN	1	1	1
3'-0" X 10'-0" REV RAD - PLAN	1	1	1
3'-2" X 4'-0" RADIUS 45° CORNER	1	1	1
3'-2" X 2'-0" RADIUS 90° CORNER	1	1	1
1'-7" X 2'-0" REV RAD 45° CORNER	2	2	2
A-FRAME	25	25	26
HARDWARE STRAIGHT 150 PACK	2	2	2
REBAR, STAKE 18 IN. (25 PACK)	3	3	3
OPTIONAL DECK SUPPORT	39	38	38

DIAGONALS	
14 TO 24	34'-3"
14 TO 25	35'-11"
14 TO S1	23'-11 1/4"
14 TO S2	6'-6 3/4"
14 TO H1	29'-9 3/4"
14 TO H2	21'-9 1/2"
18 TO 24	17'-3 1/2"
18 TO 25	19'-5 1/2"
18 TO S1	22'-3 1/4"
18 TO S2	10'-7"
18 TO H1	18'-1"
18 TO H2	4'-10 3/4"
S1 TO S2	23'-0 1/4"
S1 TO H1	15'-2 1/4"
S1 TO H2	24'-10 1/2"
S2 TO H1	25'-5 3/4"
S2 TO H2	15'-4"
H1 TO H2	17'-5"